

საქართველოს სტანდარტი

მაღალი ხილვადობის ტანსაცმელი - გამოცდის მეთოდები და მოთხოვნები

საინფორმაციო ნაწილი. სრული ტექსტის სანახავად შეიძინეთ სტანდარტი.

საქართველოს სტანდარტებისა და მეტროლოგიის
ეროვნული სააგენტო
თბილისი

სსტ ისო 20471:2013/2018

საინფორმაციო მონაცემები

1 შემუშავებულია საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს სტანდარტების დეპარტამენტის მიერ

2 დამტკიცებულია და შემოღებულია სამოქმედოდ საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს 2018 წლის 27 ივნისის № 73 განკარგულებით

3 მიღებულია გარეკანის თარგმნის მეთოდით სტანდარტიზაციის საერთაშორისო ორგანიზაციის სტანდარტი ისო 20471:2013 „ მაღალი ხილვადობის ტანსაცმელი - გამოცდის მეთოდები და მოთხოვნები”

4 პირველად

5 რეგისტრირებულია საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2018 წლის 27 ივნისი №268-1.3-013862

აკრძალულია ამ სტანდარტის გადაცემა მესამე პირებისათვის ან/და მისი სხვა ფორმით გავრცელება

საინფორმაციო ნაწილი. სრული ტექსტის სანახავად შეიძინეთ სტანდარტი.

INTERNATIONAL STANDARD

ISO 20471

First edition
2013-03-15

Corrected version
2013-06-01

High visibility clothing — Test methods and requirements

Vêtements à haute visibilité — Méthodes d'essai et exigences



Reference number
ISO 20471:2013(E)

© ISO 2013



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Design	3
4.1 Types and classes.....	3
4.2 Specific design requirements.....	4
4.3 Size designation.....	9
5 Requirements for background material, non-fluorescent material and combined performance material	10
5.1 Colour performance requirements of new material.....	10
5.2 Colour after Xenon test.....	10
5.3 Colour fastness of background material and all non-fluorescent material layers after test exposure.....	11
5.4 Dimensional change of background material and non-fluorescent material.....	11
5.5 Mechanical properties for background material and non-fluorescent material.....	12
5.6 Physiological performance — Water vapour and thermal resistance.....	12
6 Photometric performance requirements for retroreflective material and combined performance material after physical exposure	12
6.1 Retroreflective performance requirements of new material.....	12
6.2 Retroreflective performance requirements after test exposure.....	13
7 Test methods	14
7.1 Sampling and conditioning.....	14
7.2 Determination of colour.....	14
7.3 Method of determination of retroreflective photometric performance.....	14
7.4 Retroreflection after exposure.....	15
7.5 Ageing.....	15
8 Marking	16
9 Information supplied by the manufacturer	16
Annex A (informative) Information concerning risk situations	17
Annex B (normative) Positioning of bands of retroreflective material on jackets for industrial wash test only	18
Annex C (normative) Method of measuring wet retroreflective performance	19
Annex D (informative) Guidelines for the design of high visibility garments	21
Bibliography	22

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 20471 was prepared by Technical Committee ISO/TC 94, *Personal safety — Protective clothing and equipment*, Subcommittee SC 13, *Protective clothing*.

This corrected version of ISO 20471:2013 incorporates the following correction:

- in the fourth paragraph of subclause 4.1 the requirement concerning the sleeves of a class 3 garment has been corrected.

Introduction

The performance of the conspicuity-enhancing materials to be used for high risk-related visibility clothing is specified photometrically together with minimum areas and placement (design) requirements.

Conspicuity is the property that makes an object readily attract visual attention. This is a particularly important feature in complex environments which have visually competing objects. Conspicuity is determined by an object's luminance contrast, colour contrast, pattern and design, and motion characteristics relative to the ambient background against which it is seen.

Three classes of garment are defined based on three different minimum areas of retroreflective, fluorescent and/or combined performance materials. Each of these classes will provide a different level of conspicuity, class 3 being the class that provides the highest degree of conspicuity against most backgrounds found in urban and rural situations in daylight and in night time. Users should select the required class of performance based on a risk assessment of the location/situation in which the protection afforded by clothing to this International Standard is required.

This International Standard contains requirements relating to risk assessment and risk analysis of high visibility garments. Possible designs illustrating the placement of retroreflective materials are included within the standard. Ergonomic factors such as fit/sizing, comfort, and range of motion of the wearer should be considered when selecting the most appropriate configuration of retroreflective and fluorescent materials within the garment.

Selection and use of high visibility clothing can vary among user countries and may be subject to local regulations. This International Standard contains requirements relating to risk assessment of the condition in which the high visibility clothing is to be used. This will involve consideration of the factors which may affect an observer's ability to detect that a person is present. The observer needs both to perceive and to recognize the wearer and then needs to be able to take appropriate avoidance action. The wearing of a conspicuity-enhancing high visibility garment does not guarantee that the wearer will be visible under all conditions.

The minimum requirements given within this International Standard are determined by the specific test methods and their assigned measuring values. The tests are partly performed on new materials and partly on preconditioned materials. By preconditioning (e.g. folding of retroreflective material) a load of the materials is simulated. However, it should be noted that laboratory testing may not represent real life conditions. The conspicuity performance of a garment will depend on usage (e.g. dirt, solar irradiation), care (e.g. cleaning agent, repair), storage (e.g. dust-free, lightproof), etc.